

Empowering Every Watt with  
Innovative, Reliable and Sustainable

# ENERGY STORAGE SOLUTIONS



# From the chairman's desk

Dear Friends,

Greetings from Waaree!

At Waaree, we are proud to be a global catalyst in the transition to **clean, sustainable energy**. Our mission is to enable a greener future by delivering **fully integrated renewable energy solutions** that empower industries, communities, and nations.

With a presence across the entire green energy value chain – from **Solar Ingots, Wafers, Cells, and globally recognized PV Modules**, to **Inverters, Energy Meters, Green Hydrogen, Battery Energy Storage, Transformers, and Turnkey EPC Solutions** – Waaree offers a **seamless path to energy transition**.

Our diverse portfolio includes **Utility-Scale and C&I Energy Storage, ~7.35 GW of Renewable EPC, and cutting-edge Green Hydrogen Infrastructure**, providing customers with **end-to-end, future-ready energy systems**.

We are expanding rapidly through a **global network of partners**, ensuring that clean energy solutions are **accessible, adaptable, and impactful** in every region we serve.

By embracing innovation and sustainability, Waaree is redefining the possibilities of renewable energy – not just as a product, but as a global movement.

Together, let us accelerate the transition to a cleaner planet and a brighter future for generations to come.

## Accelerating Global Energy Transition



**Dr. Hitesh Doshi**

Chairman & Managing Director, Waaree Group

## Vision

Our vision is to provide high quality and cost-effective solar power across emerging markets, reducing carbon footprints and paving the way for a more sustainable energy future, thereby improving the quality of human life.

## Mission

By virtue of our commitment to our stakeholders, we strive for continual improvement in the quality of our products & services.

## Core Values



Safety



Customer First



Integrity

## Vertically Integrated Manufacturing Facility Globally

**15.1GW** Solar Module Manufacturing in India

**1.6GW\*** Solar Module Manufacturing in US

\*Additional 1.6 GW under expansion

**10GW\*** Ingot - Wafer - Cell Manufacturing

\*Expansion Plan

**6GW\*** Solar Module Manufacturing

\*Expansion Plan

**5.4GW** Solar Cell Manufacturing

**20GWh\*** Battery Manufacturing

\*Expansion Plan

**4GW\*** Inverter Manufacturing

\*Expansion Plan

**1GW\*** Electrolyser Manufacturing Facility

\*Expansion Plan

Scan to watch our Corporate Film



# Empowering Every Watt with Innovation, Reliable and Sustainable Energy Storage Solutions

Waaree Group is a leading provider of advanced Battery Energy Storage Systems (BESS), tailored for commercial, industrial, and utility-scale use. With a focus on innovation, safety, and sustainability, Waaree offers scalable lithium-ion solutions that deliver high energy density, long life, and reliable performance for efficient energy management and grid stability.

## Waaree's Roadmap to the Future of Energy Storage

State of the art **20 GWh\*** Battery Energy Storage System (BESS) manufacturing facility, set to be fully operational in Gujarat.

\*Expansion Plan

## Why Waaree BESS?



**A Legacy of Trust and Innovation** - With over three decades of experience in renewable energy, Waaree Energies has extended its expertise and innovation to cutting-edge Battery Energy Storage Solutions (BESS).



**Bankability** - Waaree stands out for its strong financial health, consistent execution, and the trust of global financiers and industry leaders.



**Safety in every Watt** - At Waaree, safety is at the core of every product. Every BESS is built with explosion-proof exhausts, integrated fire detection and suppression to mitigate any safety hazards.



**Supply Chain Assurance** - Waaree ensures timely delivery through robust sourcing, multi-vendor strategies, and local partnerships—delivering on time, every time.



**Performance at its Core** - Waaree's BESS offers over 95% round-trip efficiency, over 10,000 cycle life, smart BMS, advanced liquid cooling system and stable operation in all conditions.

## Waaree BESS Product Features

### **Highly Safe Design**

- High thermal stability thanks to liquid cooling
- Multi-stage, active fire protection system, compliance to NFPA 855
- Use of highly safe prismatic LFP cells
- Dedicated cell monitoring and protection system
- Advanced thermal management and fail-safe mechanisms to ensure reliability

### **Waaree Inhouse Prismatic LFP BESS Cells**

- 314 Ah high-capacity cells designed for long-duration energy storage.
- Exceptional cycle life ensuring reliability and lower cost of ownership.
- Advanced in-house technology with fully automated manufacturing for precision and consistency.
- Optimized for safety, performance, and scalability in utility and industrial applications.

### **State-of-the-Art Manufacturing Facility**

- High-precision, fully automated process control delivering consistent quality output.
- Scalable production capacity designed to support multi-GWh expansion.
- Robust quality assurance framework aligned with global standards (UL, IEC, BIS).
- Integrated in-house design & engineering expertise enabling customization and innovation.
- Future-ready infrastructure to support evolving energy storage technologies.

### **Certifications & Compliance**

- IEC 62619, IEC 62933, IEC 63056, IEC 61000
- UL 1973, UL 9540A, UL9540
- NFPA 68,69, 855
- UN 38.3, UN3556

### **Advanced Battery Management System (BMS)**

- Real-time monitoring for performance optimization.
- Fault detection and automatic protection mechanisms.
- Predictive analytics for preventive maintenance.

### **Energy Management System (EMS) & Cloud Integration**

- Remote diagnostics and real-time data insights.
- AI-driven optimization for energy efficiency.
- Seamless integration with grid and renewable sources.

# BESS CONTAINER

**5.015 MWh**


Liquid-cooled battery storage system

CHARACTERISTICS	PARAMETER
<b>GENERAL SPECIFICATIONS</b>	
Battery module configuration	1P104S
Number of battery modules	48
Number of strings	12
Number of racks	6
Configuration	12P416S
BMS Communication	Ethernet TCP/IP, CAN, RS485
Gravimetric	112.7 Wh/kg
Volumetric	117.25 Wh/l
Application altitude	< 3000 m
<b>ELECTRICAL</b>	
Nominal DC voltage	1331 V
Operating DC voltage range	1040 V – 1500 V
Nominal Energy @ DC terminals	5,015 kWh
Nominal SOC at delivery	40%
Nominal charge/discharge rate	0.5P/0.5P
Nominal Round Trip Efficiency (RTE)	>93.7% @0.5C    >95.2 @0.25C
Life Cycle	>10,000
<b>MECHANICAL</b>	
Dimensions of ESS unit (W×D×H)	6058mm x 2438mm x 2896mm (238.5in x 96.0in x 114.0in)
Weight	44500 kg
IP rating	IP55
Anti-corrosion level (ISO 12944)	C5
Cooling method	Liquid
Operating ambient temperature	-30°C – 55°C
Storing ambient temperature	0°C – 35°C    -40°C – 55°C short term, up to one month.
<b>PRODUCT CERTIFICATIONS</b>	
Certifications And Report:	UL9540, NFPA68, NFPA69, NFPA855, IEC 62933-5-1, IEC 62933-5-2, UN3536
<b>ENVIRONMENTAL</b>	
Compliance	ROHS, REACH, Cobalt Free
Battery Regulation(EU)	2023/1542
<b>COMPANY CERTIFICATIONS</b>	
Certificates	ISO 9001, ISO 14001, ISO 45001

\*under process

# BATTERY PACK

## Specification



CHARACTERISTICS	PARAMETER
Cell Type	LFP
Cell Capacity	314 AH
Battery Configuration	1P104S
Cooling Method	Liquid-Cooling
Coolant	Glycol-water Coolant System
Temp. range (Charge/Dis.)	0°C~50°C/~20°C~50°C
Application Altitude	≤3,000 M
Nominal/Operating Voltage	332.8V / 260V-379.6V
Nominal Energy	104.5 KWH
Nominal Soc at Delivery	40%

## Key Features

### High Safety:

- Based on proven LFP cell chemistry offering strong thermal stability and low fire risk.
- Integrated liquid cooling system maintains uniform cell temperature and extends battery life.

### Long Life & Reliability:

- Advanced cell design ensures an extended lifecycle with minimal capacity degradation.
- Optimized for daily cycling and high-efficiency operation under varying environmental conditions.

### Smart Energy Control:

- Supports intelligent Battery Management System (BMS) integration for precise monitoring, balancing, and fault protection.

### Low LCOS (Levelized Cost of Storage):

- Efficient energy throughput and superior cooling deliver reduced operating costs and high overall return on investment.

# BATTERY CELL

## Specification



CHARACTERISTICS	VALUE
Cell chemistry	LFP
Cell Weight (kg)	5.5
Cell Capacity (Ah)	314
Cell Voltage (V)	3.2
Energy	1004.8
Cell width	174.26
Cell Thickness	71.5
Cell total height	206.5
Cell body height	204.5
Tab distance	128
Internal Resistance	0.18±0.05mΩ (30% SOC, 1kHz)
Gravimetric Energy Density (Wh/Kg)	>178
Volumetric Energy Density (Wh/L)	389.0
Cycle Life	10000 (70% SOH)
RT Storage (28D@25C@50%SOC)	≤ 3 %/month
Standard Charge/Discharge (C rate)	0.5C/0.5C
Max Charge/Discharge (C rate)	1C/1C
Temperature Charging Limits (°C)	0-60
Temperature Discharge Limits (°C)	-20-60
Certifications And Report:	UL9540A, UL1973, IEC62619, UN38.3

### Disclaimer

- Waaree Energy Storage Solution shall not be held responsible or liable for any unauthorized or undue alteration, modification, improvisation, change in data, or contest representation on collateral/brochure/datasheet of Waaree Energy Storage Solution.
- Images of product on collaterals/brochures/datasheets of Waaree Energy Storage Solution are for representative purposes only, and actual product may differ from the images depicted.
- The information provided in this datasheet is for general guidance only. Actual product specifications and features may vary without prior notice and can differ from model to model. Waaree reserves the right to make modifications or improvements to the product as per requirements. For more Information, visit us at [www.waaree.com](http://www.waaree.com)

BESS Vr 03 / Oct 2025

## Waaree Energy Storage Solutions Pvt. Ltd.

Commerz 2, 11th Floor, Oberoi Garden City, International Business Park,  
Yashodham, Goregaon, Mumbai, Maharashtra 400063.

Tel: +91 22 6939 5500 | Toll Free : 1800 2121 321 | E-mail: [waaree@waaree.com](mailto:waaree@waaree.com) | Website: [www.waaree.com](http://www.waaree.com)